







- Celesta is a near perfect natural day light. Clean, Clear, comforting and almost blissful.
- As close to natural light as today's highest known technology can reach.



PARAMETERS	CELESTA 5	CELESTA 3	CELESTA 2	CELESTA 1
Central Illuminance (Ec)	160,000 Lux	160,000 Lux	140,000 Lux	140,000 Lux
Color Temperature(CCT)	3,700K, 4,350K & 5,500K	3,700K, 4,350K & 5,500K	3,700K, 4,350K & 5,500K	4,350K
General Color Rendering Index (Ra)	98	95	95	95
Endo Mode	Yes(8000lx)	Yes(8000lx) at cct	NA	NA
Dimming Range	2-100%	2-100%	2-100%	2-100%
Depth of Illumination above 60%	1200mm ± 10%	1200mm ± 10%	1200mm ± 10%	1200mm ± 10%
Shadow Dilution With Tube	100%	100%	100%	100%
Shadow Dilution With One Mask	75%	75%	70%	70%
Shadow Dilution With Tube & One Mask	70%	70%	65%	65%
Shadow Dilution With Two Masks	62.50%	62.50%	55.00%	55.00%
Shadow Dilution With Tube & Two Mask	62.50%	62.50%	50.00%	50.00%
Light Field Diameter (d10)	200-250	200-250	250	250
Light Distribution Diameter (d50)	120-160	120-160	160	160
Focus Control	Electronic Control	Electronic Control	NA	NA

A Product By





Communicate to: Admin, Office & Factory

Eclipse Prism Medical Devices Pvt. Ltd.

211-213, Ashok Service Ind. Estate, Gokul Nagar, L. B. S. Marg, Thane West, Mumbai 400 601, Maharashtra, INDIA

Tel : 022 2172 0091 | info@epmdgroup.com www.epmdgroup.com For More Info On Sales Contact



Matrix Medicals Pvt. Ltd.

B-2/1, 8th Floor, Ashar IT Park, Wagle Estate, Rd. No.16, Thane (W) 400 604, India

 $\mathsf{Tel} \quad : 022\,2081\,3711\,|\, + 91\,73044\,11454$

+91 73045 45603
Email: info@matrixmedicals.in
www.matrixmedicals.in

